



ENDÜSTRİYEL FANLAR






Ölçü (mm) : 205 x 205 x 90

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF20JC23-H	230V	50	70	0.32	2800	1020	600	20.3	0.80	67	90
		60	98	0.45	3200	1158	680	19.8	0.77	71	




Ölçü (mm) : 180 x 180 x 90

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF18JC23-H	230V	50	75	0.42	2850	660	390	20	0.78	54	85
		60	72	0.31	3400	780	460	27	1.06	59	





Ölçü (mm) : 160 x 160 x 62

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF16FC23-H	230V	50	46	0.22	2850	378	222	13.5	0.53	52	75
		60	41	0.17	3400	450	265	18.2	0.72	56	





Ölçü (mm) : Ø172x51

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF17PC23-H	230V	50	29	0.12	2850	348	205	16	0.63	50	32
		60	29	0.12	3400	384	226	20	0.79	55	




Ölçü (mm) : 172 x 150 x 51

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF15PC23-H	230V	50	29	0.12	2850	348	205	16	0.63	53	40
		60	29	0.12	3400	384	226	20	0.79	58	




Ölçü (mm) : 172 x 150 x 55

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF15KM23-H	230V	50	42	0.25	2800	360	195	14	0.55	49	45
		60	42	0.23	3250	390	230	16	0.63	53	




Ölçü (mm) : 172 x 150 x 55

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF15KMR23-H	230V	50	45	0.27	2750	384	225	12.5	0.50	58	45
		60	45	0.25	3150	432	255	12.5	0.50	61	




Ölçü (mm) : 172 x 150 x 38

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF15AC23-H	230V	50	27	0.11	2850	300	177	17.0	0.67	54	40
		60	26	0.11	3400	360	212	19.0	0.75	58	




Ölçü (mm) : Ø172 x 172 x 51

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH2O	inchH2O	(dB)	FİYAT €
UF17P23-H	230V	50	35	0.23	2750	280	170	10.5	0.42	49	30
		60	30	0.18	3100	330	195	9.5	0.38	53	




Ölçü (mm) : 172 x 150 x 51

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH2O	inchH2O	(dB)	FİYAT €
UF15P23-H	230V	50	35	0.23	2750	288	170	10.5	0.42	50	30
		60	30	0.18	3100	330	195	9.5	0.38	55	




Ölçü (mm) : 172 x 150 x 38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH2O	inchH2O	(dB)	FİYAT €
UF15A23-H	230V	50	39	0.25	2750	282	166	11	0.43	50	30
		60	31	0.19	3200	336	198	10	0.40	55	




Ölçü (mm) : 80 x 80 x 25

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF80B23-H	230V	50/60	16	0.08	2600	32	19	3.6	0.14	32	13
			14	0.07	3100	40	23	5.5	0.22	35	




Ölçü (mm) : 127 x 127 x 38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF13A23-H	230V	50	17	0.10	2700	174	103	7.3	0.29	46	15
		60	15	0.09	3000	204	120	2.8	0.11	50	




Ölçü (mm) : 120x120x38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF12AR23-H	230V	50	17	0.10	2700	144	85	8.0	0.32	45	12
		60	15	0.09	3100	228	99	8.5	0.33	47	




Ölçü (mm) : 120x120x38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF12A23-H	230V	50	17	0.14	2700	156	92	8.0	0.32	42	12
		60	15	0.11	3100	180	106	8.0	0.32	46	




Ölçü (mm) : 120x120x38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF12AM23-H	230V	50	17	0.10	2700	150	89	6.5	0.26	42	20
		60	15	0.09	3100	174	103	6.0	0.24	46	




Ölçü (mm) : 120x120x25

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF12B23-H	230V	50	16	0.08	2400	108	62	4.7	0.19	38	12
		60	14	0.07	2900	126	75	4.7	0.19	42	




Ölçü (mm) : 92x92x38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF92AM23-H	230V	50	12	0.06	2700	75	44	6.0	0.24	37	21
		60	11	0.05	3200	87	51	7.5	0.30	42	




Ölçü (mm) : 92x92x38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF92A23-H	230V	50	16	0.12	2800	66	38	5.6	0.22	34	12
		60	12	0.09	3300	78	46	8.1	0.32	38	




Ölçü (mm) : 92x92x25

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF92B23-H	230V	50	16	0.08	2500	56	33	4.2	0.17	32	12
		60	14	0.07	3000	68	40	6.1	0.24	36	




Ölçü (mm) : 80x80x38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF80A23-H	230V	50	14	0.07	2500	40.8	24	3.6	0.14	32	13
		60	12	0.06	3000	50	30	5.3	0.21	36	




Ölçü (mm) : 60x60x30

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF60D23-H	230V	50	5	0.040	2400	14	8.10	1.8	0.07	27	13
		60	4	0.032	3000	18	10.24	2.8	0.11	28	




Ölçü (mm) : 120.8 x 120.8 x 37.2

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF90DPB23H	230V	50	19	0.11	2500	35	20	10	0.40	49	35
		60	18	0.10	2700	36	21	13	0.50	51	




Ölçü (mm) : Ø182.4 x 84.9

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH ₂ O	inchH ₂ O	(dB)	FİYAT (€)
UF180APA23H1C2A	230V	50	70	0.30	2300	510	300	25	1.0	63	68
		60	81	0.35	2400	510	300	34	1.3	63	




Ölçü (mm) : 225x225x80

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF200BMB23H1C2A	230V	50 60	74 80	0.29 0.35	2550 2800	900 1020	530 600	17 14	0.67 0.55	59 61	70




Ölçü (mm) : 280x280x80

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF250BMB23H1C2A	230V	50 60	119 158	0.59 0.82	2550 2700	1860 1920	1090 1130	20.0 16.5	0.78 0.65	68 70	90




Ölçü (mm) : Ø190 x 70

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF190APA23H1C2A	230V	50 60	57 72	0.23 0.30	2500 2700	570 624	335 370	25 30	1.0 1.2	60 63	55




Ölçü (mm) : Ø223 x 71

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF220APA23H2C2A	230V	50 60	90 117	0.35 0.39	2500 2650	850 900	500 530	35 38	1.4 1.7	65 70	70




Ölçü (mm) : Ø 254 X 89

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH2O	inchH2O	(dB)	FİYAT €
UF25GCA23-H	230V	50	60	0.25	2500	1110	650	11.7	0.46	61	90
		60	75	0.35	2600	1158	680	9.40	0.37	62	




Ölçü (mm) : Ø 223 x 60

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH2O	inchH2O	(dB)	FİYAT €
UF22F23H	230V	50	47	0.35	2700	660	400	10.9	0.43	57	40
		50	47	0.35	2700	660	400	10.9	0.43		





Ölçü (mm) : Ø 144 x 53

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH2O	inchH2O	(dB)	FİYAT €
UF15PE23H	230V	50	36	0.24	2650	272	160	4.06	0.16	48	50
		60	33	0.20	2950	306	180	4.57	0.18	53	




Ölçü (mm) : Ø 136 x58

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH2O	inchH2O	(dB)	FİYAT €
UF15KME23-H	230V	50	42	0.25	2800	330	195	14	0.55	45	80
		60	42	0.23	3250	390	230	16	0.63	50	





Ölçü (mm) : 112 x 41

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF12AE23	230V	50	16	0.11	2700	144	85	4.0	0.15	38	40
		60	14	0.12	3000	162	95	4.8	0.18	42	






Ölçü (mm) : 197 x 62.5

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF200BMB23H1C2E	230V	50	74	0.29	2550	900	530	17	0.67	59	90
		60	80	0.35	2800	1020	600	14	0.55	61	





Ölçü (mm) : 180 x 63.5

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF180BAB23H	230V	50	76	0.35	2750	570	335	7.50	0.65	62	70
		60	75	0.40	3100	660	388	10.0	0.78	65	




Ölçü (mm) : 250 x 72

Thermally-Protected




MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	(CFM)	mmH ₂ O	inchH ₂ O	(dB)	FİYAT €
UF250BMB23H1C2E	230V	50	119	0.59	2550	1860	1090	16.5	0.65	68	105
		60	158	0.82	2700	1920	1130	20.0	0.78	70	



Ölçü (mm) : Ø290 x 75.9
Thermally-Protected




MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF250BMB23H1C2B	230V	50	119	0.59	2550	1860	1090	20.0	0.78	68	105
		60	158	0.82	2700	1920	1130	16.5	0.65	70	



Ölçü (mm) : Ø245 x 66.5
Thermally-Protected




MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF200BMB23H1C2B	230V	50	74	0.29	2550	900	530	17	0.67	59	90
		60	80	0.35	2800	1020	600	14	0.55	61	



Ölçü (mm) : Ø225 x 85
Thermally-Protected




MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF225(85)APA23H1C2A	230V	50	115	0.57	2700	1050	618	46	1.8	71	90
		60	135	0.60	3000	1152	680	64	2.5	75	
UF225(99)APA23H1C2A	230V	50	126	0.57	2650	1200	700	51	2.0	69	100
		60	157	1.14	2950	1310	770	66	2.6	71	



Ölçü (mm) : Ø251.5 x 98.1
Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF250APA23H1C2A	230V	50	170	0.77	2600	1320	770	56	2.2	75	110
		60	240	1.00	2700	1440	850	74	2.9	76	




Ölçü (mm) : 120 x 120 x 25

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF12BR11-BTH	115V	50	14	0.15	2400	102	60	4.5	0.18	38	25
		60	11	0.12	2900	80	70	5.4	0.21	42	




Ölçü (mm) : 120 x 120 x 25

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF12B11-BTH	115V	50	14	0.15	2400	108	62	4.7	0.19	38	25
		60	11	0.12	2900	126	75	4.7	0.19	42	




Ölçü (mm) : 120 x 120 x 38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF12AR11-BTH	115V	50	13	0.20	2700	144	85	8.0	0.32	45	25
		60	11	0.19	3100	168	99	8.5	0.33	47	




Ölçü (mm) : 80 x 80 x 38

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF80A11-BTH	115V	50	12	0.14	2500	41	24	3.6	0.14	32	28
		60	9	0.12	3000	50	30	5.3	0.21	36	




Ölçü (mm) : 60 x 60 x 30

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF60D11-H	115V	50	5	0.042	2400	14	8.10	1.8	0.07	27	25
		60	4	0.035	3000	17	10.24	2.8	0.11	28	




Ölçü (mm) : 172 x 150 x 55

Thermally-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF15KMR11-BWHF	115V	50	42	0.52	2800	330	195	14	0.55	49	80
		60	42	0.47	3250	390	240	16	0.63	53	




Ölçü (mm) : 225 x 225 x 80

Impedance-Protected



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UF200BMB11H1C2A	115V	50	65	0.58	2550	900	530	17	0.67	59	125
		60	72	0.70	2800	1020	600	14	0.55	61	




Ölçü (mm) : Ø250 x 76.1

Electronically-Protected

IP68




MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FIYAT (€)
UFT200BMB11H1D4A	115V	50/60	26.0	0.40	2200	780	460	11.7	0.46	55	170
			8.1	0.13	1400	492	290	7.1	0.28	44	
UFT200BMB23H1D4A	230V	50/60	27.0	0.24	2200	780	460	11.7	0.46	55	150
			8.5	0.08	1400	492	290	7.1	0.28	44	



Ölçü (mm) : 60 x 60 x 25
Electronically-Protected
IP68




MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UFT60BBPB0AM1D4A	115V	50	2.0	0.04	3850	32	19.1	4.3	0.17	31	40
	230V	60	2.4	0.025	3950	33	19.4	4.6	0.18		



Ölçü (mm) : 120 x 120 x 38
Electronically-Protected
IP68




MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UFT12ABPB0AM1D4A	115V	50	4.9	0.08	3200	180	106	8.6	0.34	43	50
	230V	60	5.2	0.06	3200	180	106	8.6	0.34		



Ölçü (mm) : 172 x 150 x 51
Electronically-Protected
IP68




MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UFT15PBPB11M1D4A	115V	50/60	15	0.23	3000	372	220	15.7	0.62	57	80
UFT15PBPB23M1D4A	230V	50/60	15	0.14	3000	372	220	15.7	0.62	57	70



Ölçü (mm) : Ø254 x 89
Electronically-Protected
IP68



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UFT25GBPB23M1D8A	230V	50/60	88	0.80	3000	1542	910	32	1.26	73	150




Ölçü (mm) : 60 x 60 x 25

**Electronically-Protected
IP68**



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UFT60BBPBOAM1D4AN	115V	50	2.0	0.04	3850	32	19.1	4.3	0.17	31	50
	230V	60	2.4	0.025	3950	33	19.4	4.6	0.18		




Ölçü (mm) : 120 x 120 x 38

**Electronically-Protected
IP68**



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UFT12ABPBOAM1D4AN	115V	50	4.9	0.08	3200	180	106	8.6	0.34	43	60
	230V	60	5.2	0.06	3200	180	106	8.6	0.34		




Ölçü (mm) : 172 x 150 x 51

**Electronically-Protected
IP68**



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UFT15PBPB11M1D4AN	115V	50/60	15	0.23	3000	372	220	15.7	0.62	57	90
UFT15PBPB23M1D4AN	230V	50/60	15	0.14	3000	372	220	15.7	0.62	57	80




Ölçü (mm) : Ø254 x 89

**Electronically-Protected
IP68**



MODEL	VOLTAJ (VAC)	FREKANS (Hz)	Güç (W)	AKIM (A)	HIZ (d/d)	m³/h	CFM	mmH2O	inchH2O	(dB)	FİYAT (€)
UFT25GBPB23M1D8AN	230V	50/60	88	0.80	3000	1542	910	32	1.26	73	180

FAN KORUMA TELİ METAL



MG-150 MG-120 MG-92 MG-80 MG-60

MODEL	ÖLÇÜ	FİYAT €
MG-60	60x60 Fan İçin	2.00
MG-80	80x80 Fan İçin	2.00
MG-92	92x92 Fan İçin	2.00
MG-120	120x120 Fan İçin	2.00
MG-150	172x150 Fan İçin	2.40


FAN KORUMA TELİ PLASTİK



PG-150 PG-120 PG-92 PG-80

MODEL	ÖLÇÜ	FİYAT €
PG-80	80x80 Fan İçin	1,50
PG-92	92x92 Fan İçin	1,60
PG-120	120x120 Fan İçin	2.00
PG-150	172x150 Fan İçin	2.40

FAN FİLTRESİ PLASTİK



PFG-150 PFG-120 MSG-120 PFG-92 PFG-80


MODEL	ÖLÇÜ	FİYAT €
PFG-80	80x80 Fan İçin	2.00
PFG-92	92x92 Fan İçin	2.00
PFG-120	120x120 Fan İçin	2.40
MSG-120	120x120 Fan İçin	5.00
PFG-150	150x172 Fan İçin	3.00

FİLTRE ÜNİTESİ



KOD	AÇIKLAMA	PAKET ADEDİ	FİYAT €
QFE-500	Fil 500 için	10	4.00
QFE-1000	Fil 1000 için	10	5.00
QFE-1500	Fil 1500 için	10	6.00
QFE-2000	Fil 2000 için	10	13.00
QFE-2500	Fil 2500 için	10	15.00
QFE-3000	Fil 3000 için	10	35.00

FAN KORUMA TELİ METAL




MG-250

MG-200

MODEL	ÖLÇÜ	FİYAT €
MG-200	225x225 Fan İçin	4.00
MG-220	190-220-225 Radyal	4.50
MG-250	280x280 Fan İçin	5.00

FAN FİLTRESİ PLASTİK




PFG-250P

PFG-200B

MODEL	ÖLÇÜ	FİYAT €
PFG-200P	200x200 Fan İçin	5.00
PFG-250B	250x250 Fan İçin	6.00

FAN KORUMA TELİ PLASTİK



PG-250B

PG-200B

MODEL	ÖLÇÜ	FİYAT €
PG-200B	200x200 Fan İçin	4.00
PG-250B	250x250 Fan İçin	5.00

FAN KABLOSU



MODEL	FİYAT - €
LA-10	2.00
LA-15	2.50
LA-25	3.50